

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US

Certificate of Analysis



Mar 03, 2021 | Savage Enterprises

Irvine, CA, 92618



Kaycha Labs

Matrix: Flower



Sample: KN10119004-001

Harvest/Lot ID: Sour Seed to Sale Batch Date :01/06/21

Batch#: 002

Sample Size Received: 5 gram

Retail Product Size: 1 Ordered: 01/15/21

sampled: 01/15/21

Completed: 01/23/21 Expires: 01/23/22

Sampling Method: SOP Client Method

ESTED

Page 1 of 1









Pesticides









Residuals Solvents





Water Activity





Terpenes NOT TESTED

CANNABINOID RESULTS



Total THC



Total CBD 17.248%

Batch Date: 01/20/21 11:05:44



Total Cannabinoids



Cannabinoid Profile Test

Analytical Batch - KN000289POT

Analyzed by Extraction date : Extracted By : 113 0.2108g 01/20/21 01:01:33 Analysis Method -Expanded Measurement of Uncertainty: Flower Matrix d9-THC:12.7%, THCa: 9.5%, TOTAL THC 11. 1%. These uncertainties represent an expanded uncertainty expressed at approximately the 95% 01/21/21 confidence level using a coverage factor k=2 for a normal distribution. 15:46:58

Reagent 190706059 24157882

Instrument Used: HPLC E-SHI-008

00297320

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson Lab Director

State License # n/a ISO Accreditation # 17025:2017



Signature

03/03/2021

Signed On