



**Certificate of Analysis**  
Compliance Test

Client Information:

**SUPER SCIENTIFIC**  
503 NE 189 ST  
MIAMI GARDENS, FL 33179

Batch # ELDARINBLEND2  
Batch Date: 2023-02-28  
Extracted From: D8

Test Reg State: Florida

Order # SUP230228-110001  
Order Date: 2023-02-28  
Sample # AAED770

Sampling Date: 2023-03-03  
Lab Batch Date: 2023-03-03  
Completion Date: 2023-03-06

Initial Gross Weight: 75.112 g  
Net Weight: 8.712 g

Number of Units: 1  
Net Weight per Unit: 8712.000 mg



**Potency Tested**

Product Image

**Delta 8/Delta 10 Potency 13 - (LCUV)**

**Tested**  
SOP13.052 (LCUV)

**Potency Summary**

Specimen Weight: 56.500 mg

| Analyte          | LOD (%) | LOQ (%) | Result (mg/g) | (%)    |
|------------------|---------|---------|---------------|--------|
| Delta-8 THC      | 2.60E-5 | 0.0015  | 786.640       | 78.664 |
| CBC              | 1.80E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBD              | 5.40E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBDa             | 1.00E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBDV             | 6.50E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBG              | 2.48E-4 | 0.0015  | <LOQ          | <LOQ   |
| CBGA             | 8.00E-5 | 0.0015  | <LOQ          | <LOQ   |
| CBN              | 1.40E-5 | 0.0015  | <LOQ          | <LOQ   |
| Delta-10 THC     | 3.00E-6 | 0.0015  | <LOQ          | <LOQ   |
| Delta-9 THC      | 1.30E-5 | 0.1     | <LOQ          | <LOQ   |
| Delta6a10a-THC   | 8.47E-5 | 0.0015  | <LOQ          | <LOQ   |
| THCA-A           | 3.20E-5 | 0.0015  | <LOQ          | <LOQ   |
| THCV             | 7.00E-6 | 0.0015  | <LOQ          | <LOQ   |
| Total Active CBD |         |         | <LOQ          | <LOQ   |
| Total Active THC |         |         | <LOQ          | <LOQ   |

|  |           |                                      |  |
|--|-----------|--------------------------------------|--|
| <b>Total Delta 8</b><br>78.664%            | 6,853.210 | -                                    | <b>Total Delta 10</b><br>None Detected   |
| <b>Total Active THC</b><br>None Detected   | -         | -                                    | <b>Total Active CBD</b><br>None Detected |
| <b>Total CBG</b><br>None Detected          | -         | -                                    | <b>Total CBN</b><br>None Detected        |
| <b>Other Cannabinoids</b><br>None Detected | -         | <b>Total Cannabinoids</b><br>78.664% | 6,853.210                                |

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBC Total = (CBGA \* 0.877) + CBC, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBD + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/kg) = Milligram per Kilogram, Passed - Analyte/microbe is non-detected or at the level below the action limit, Failed - Analyte/microbe is at the level that equal or above the action limit, \*Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

