Customer:

Sample ID:

Cake Distro 1007 West Grove Avenue Orange, CA 92865

03WC-1.5:D8-OR / Wedding Cake



CERTIFICATE OF ANALYSIS

Report Issue Date 4/1/2022

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Laboratory Number: ATL-5724

PROFILE

CANNABINOID

Sample Description/Size:

D8 Disposable / 1.5g

Order Date	Analysis Date
3/21/2022	3/23/2022

Cannabinoids (HPLC)		Results			nnab	inoi	d (%)				\square
Test	LOQ (mg/g)	mg/disposable	%	0	$\langle \rangle$	20		40	60	80	100
Cannabidivarin (CBDV)	<0.09	0	0					21		1	
Cannabidiolic Acid (CBD-A)	<0.05	O	Q	$\overline{}$	\mathbb{N}		\square		1		
Cannabigerolic Acid (CBG-A)	<0.04	0	0		l						
Cannabigerol (CBG)	<0.04	0	0								
Cannabidiol (CBD)	<0.04	0	0								
Cannabinol (CBN)	<0.03	0	0								
Delta 9-Tetrahydrocannabinol (THC)	<0.02	0	0			7					
Delta 8-Tetrahydrocannabinol	<0.03	1361.87	90.79		,III)HIII)	IHÌHÌ		IMITH	WIIIIM		
Delta 10-Tetrahydrocannabinol (THC)	<0.02	0	0) () (
Cannabichromene(CBC)	<0.05	0	0				\checkmark	À			
Delta-9-Tetrahydrocannabinolic Acid (as THC)	< 0.02	0	0	\mathcal{M}		X	\square	M			
Cannabinoids Total			K			X	X				
Test		mg/disposable	%	0	\mathbf{X}	20		40	60	80	100
Max Active THC		0	0	×'/-	\bigvee			\swarrow			
Max Active CBD		0	O			\mathbb{N}	$\left \right\rangle$	+/+			

Analysis Method: ATL-PLC-001

N/D: Not Detected T:Trace Cannabinoids detected but are below limit of quantification.

T.Active Cannabinoids

Total Cannabinoids

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

90.79

90.79

1361.87

1361.87



Tel: (954) 515-0200