PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample Flying Monkey HHC Purple Kush WL0047

Sample ID SD220216-039 (46462) Ma			Matrix	Concentrate (Inhalable Cannabis Good)	
Tested for White Label Leaf					
Sampled -	Received	Feb 16, 2022		Reported Feb 18, 2022	
Analyses executed C	CAN20				

CAN20 - Cannabinoids Analysis

Analyzed Feb 18, 2022 | Instrument HLPC Measurement Uncertainty at 95% confidence 7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND
Cannabigerol (CBG)	0.048	0.16	ND	ND
Cannabidiol (CBD)	0.069	0.229	ND	ND
Tetrahydrocannabivarin (THCV)	0.049	0.162	ND	ND
Cannabinol (CBN)	0.047	0.16	8.26	82.58
exo-THC (exo-THC)	0.016	0.8	NT	NT
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	ND	ND
Δ 8-tetrahydrocannabinol (Δ 8-THC)	0.044	0.16	ND	ND
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.8	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.8	36.41	364.14
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.8	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.8	53.92	539.20
Cannabichromene (CBC)	0.13	0.432	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.8	ND	ND
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.8	ND	ND
Δ 8-THC-O-acetate (Δ 8-THC-O)	0.076	0.8	ND	ND
Δ9-THC-O-acetate (Δ9-THC-O)	0.066	0.8	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total HHC (9r-HHC + 9s-HHC)			90.33	903.35
TOTAL CANNABINOIDS			98.59	985.90

ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1
gram
TNTC Too Numerous to Count









Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Fri, 18 Feb 2022 18:18:44 -0800



